

Combined March and June ProQa Update - 2026

					Suggested responses			
CC #	Chief Complaint Name	Determinant Descriptor	Suffix Descriptor	CAD Code	Priority	2nd Unit	FR Res	BLS
3	Animal Bites / Attacks	Neurological symptoms mentioned (without priority symptoms)		3B04	1		Y	
4	Assault / Sexual Assault / Stun Gun	Neurological symptoms mentioned (without priority symptoms)	Assault	4B04A	1		Y	
4	Assault / Sexual Assault / Stun Gun	Neurological symptoms mentioned (without priority symptoms)	Sexual assault	4B04S	1		Y	
4	Assault / Sexual Assault / Stun Gun	Neurological symptoms mentioned (without priority symptoms)	Stun gun	4B04T	1		Y	
7	Burns (Scalds) / Explosion (Blast)	Person on fire (inside)		7E02	1		Y	
7	Burns (Scalds) / Explosion (Blast)	Person on fire (inside)	Explosion	7E02E	1		Y	
7	Burns (Scalds) / Explosion (Blast)	Person on fire (inside)	Fire present	7E02F	1		Y	
7	Burns (Scalds) / Explosion (Blast)	Person on fire (inside)	Fireworks	7E02W	1		Y	
11	Choking (Near Choking / Aspiration)	Not choking now (can talk or cry, is alert and breathing normally)	Baby formula	11O01B	2			
11	Choking (Near Choking / Aspiration)	Override	Baby formula	11D00B	1		Y	
11	Choking (Near Choking / Aspiration)	Abnormal breathing (PARTIAL obstruction)	Baby formula	11D01B	1		Y	
11	Choking (Near Choking / Aspiration)	Not alert	Baby formula	11D02B	1		Y	

Combined March and June ProQa Update - 2026

11	Choking (Near Choking / Aspiration)	Override	Baby formula	11E00B	1		Y	
11	Choking (Near Choking / Aspiration)	COMPLETE obstruction/NOT BREATHING/INEFFECTIVE BREATHING	Baby formula	11E01B	1		Y	
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)		17O03	2			Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	Accessibility concerns/difficulty	17O03A	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	Accessibility concerns/difficulty and over X lbs/kg	17O03B	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	Environmental problems (rain, heat, cold)	17O03E	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	Environmental problems and over X lbs/kg	17O03F	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	On the floor/ground < 1 hour	17O03G	2			Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	On the floor/ground < 1 hour and over X lbs/kg	17O03H	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	On the floor/ground 1–2 hours	17O03K	2			Y

Combined March and June ProQa Update - 2026

17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	On the floor/ground 1–2 hours and over X lbs/kg	17O03L	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	On the floor/ground > 2 hours	17O03M	2			Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	On the floor/ground > 2 hours and over X lbs/kg	17O03N	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	Public place (street, parking garage, market)	17O03P	2			Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	Public place and over X lbs/kg	17O03U	2		Y	Y
17	Falls	NON-RECENT (≥ 6hrs) (no injuries and no priority symptoms)	Patient's weight over X lbs/kg	17O03W	2		Y	Y
17	Falls	Neurological symptoms mentioned (without priority symptoms)		17B06	2			
17	Falls	Neurological symptoms mentioned (without priority symptoms)	Accessibility concerns/difficulty	17B06A	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	Accessibility concerns/difficulty and over X lbs/kg	17B06B	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	Environmental problems (rain, heat, cold)	17B06E	2		Y	

Combined March and June ProQa Update - 2026

17	Falls	Neurological symptoms mentioned (without priority symptoms)	Environmental problems and over X lbs/kg	17B06F	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	On the floor/ground < 1 hour	17B06G	2			
17	Falls	Neurological symptoms mentioned (without priority symptoms)	On the floor/ground < 1 hour and over X lbs/kg	17B06H	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	On the floor/ground 1–2 hours	17B06K	2			
17	Falls	Neurological symptoms mentioned (without priority symptoms)	On the floor/ground 1–2 hours and over X lbs/kg	17B06L	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	On the floor/ground > 2 hours	17B06M	2			
17	Falls	Neurological symptoms mentioned (without priority symptoms)	On the floor/ground > 2 hours and over X lbs/kg	17B06N	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	Public place (street, parking garage, market)	17B06P	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	Public place and over X lbs/kg	17B06U	2		Y	
17	Falls	Neurological symptoms mentioned (without priority symptoms)	Patient's weight over X lbs/kg	17B06W	2		Y	

Combined March and June ProQa Update - 2026

23	Overdose / Poisoning (Ingestion)	Multiple victims		23D04	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Accidental (recreational intent)	23D04A	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Accidental (medication error)	23D04M	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Accidental poisoning (other)	23D04O	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Intent to harm self (intentional)	23D04I	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Violent or combative	23D04V	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Weapons	23D04W	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Fentanyl	23D04F	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Carfentanil	23D04C	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Accidental and Fentanyl	23D04D	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Accidental and Carfentanil	23D04E	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Intentional and Fentanyl	23D04G	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Intentional and Carfentanil	23D04H	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Violent or combative and Fentanyl	23D04Q	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Violent or combative and Carfentanil	23D04R	1	Y	Y	

Combined March and June ProQa Update - 2026

23	Overdose / Poisoning (Ingestion)	Multiple victims	Weapons and Fentanyl	23D04S	1	Y	Y	
23	Overdose / Poisoning (Ingestion)	Multiple victims	Weapons and Carfentanil	23D04T	1	Y	Y	
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)		24O03	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	FULL TERM	24O03A	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	FULL TERM and Multiple birth	24O03B	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	LATE PRETERM	24O03C	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	LATE PRETERM and Multiple birth	24O03D	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	EARLY PRETERM	24O03E	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	EARLY PRETERM and Multiple birth	24O03F	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	EXTREME PRETERM	24O03G	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	EXTREME PRETERM and Multiple birth	24O03H	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	Multiple birth	24O03M	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	Unknown gestation	24O03U	2			
24	Pregnancy / Childbirth / Miscarriage	No/Reduced fetal movement (no bleeding or labor pains)	Unknown gestation and Multiple birth	24O03V	2			
24	Pregnancy / Childbirth / Miscarriage	Labor (delivery not imminent, ≥ 22 weeks/5 months)	FULL TERM and Multiple birth	24B01B	2		Y	

Combined March and June ProQa Update - 2026

24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)		24D09	1		Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	FULL TERM	24D09A	1		Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	FULL TERM and Multiple birth	24D09B	1	Y	Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	LATE PRETERM	24D09C	1		Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	LATE PRETERM and Multiple birth	24D09D	1	Y	Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	EARLY PRETERM	24D09E	1		Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	EARLY PRETERM and Multiple birth	24D09F	1	Y	Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	EXTREME PRETERM	24D09G	1		Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	EXTREME PRETERM and Multiple birth	24D09H	1	Y	Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	Multiple birth	24D09M	1	Y	Y	
24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain (≥ 22 weeks/5 months and no fetus, tissue, or blood)	Unknown gestation	24D09U	1		Y	

Combined March and June ProQa Update - 2026

24	Pregnancy / Childbirth / Miscarriage	Constant abdominal pain ($\geq$ 22 weeks/5 months and no fetus, tissue, or blood)	Unknown gestation and Multiple birth	24D09V	1		Y	
26	Sick Person (Specific Diagnosis)	No priority symptoms – 1st/2nd party (complaint conditions 2–28 not identified)	Suspected Ebola illness	26O01E	2			
26	Sick Person (Specific Diagnosis)	Boils	Suspected Ebola illness	26O02E	2			
26	Sick Person (Specific Diagnosis)	Bumps (non-traumatic)	Suspected Ebola illness	26O03E	2			
26	Sick Person (Specific Diagnosis)	Can't sleep	Suspected Ebola illness	26O04E	2			
26	Sick Person (Specific Diagnosis)	Can't urinate (without abdominal pain)	Suspected Ebola illness	26O05E	2			
26	Sick Person (Specific Diagnosis)	Catheter (urinary – in/out without hemorrhaging)	Suspected Ebola illness	26O06E	2			
26	Sick Person (Specific Diagnosis)	Constipation	Suspected Ebola illness	26O07E	2			
26	Sick Person (Specific Diagnosis)	Cramps/Spasms/Joint pain (in extremities and non-traumatic)	Suspected Ebola illness	26O08E	2			
26	Sick Person (Specific Diagnosis)	Cut-off ring request	Suspected Ebola illness	26O09E	2			
26	Sick Person (Specific Diagnosis)	Deafness	Suspected Ebola illness	26O10E	2			
26	Sick Person (Specific Diagnosis)	Defecation/Diarrhea	Suspected Ebola illness	26O11E	2			
26	Sick Person (Specific Diagnosis)	Earache	Suspected Ebola illness	26O12E	2			
26	Sick Person (Specific Diagnosis)	Enema	Suspected Ebola illness	26O13E	2			
26	Sick Person (Specific Diagnosis)	Gout	Suspected Ebola illness	26O14E	2			

Combined March and June ProQa Update - 2026

26	Sick Person (Specific Diagnosis)	Hemorrhoids/Piles	Suspected Ebola illness	26O15E	2			
26	Sick Person (Specific Diagnosis)	Hepatitis	Suspected Ebola illness	26O16E	2			
26	Sick Person (Specific Diagnosis)	Hiccups	Suspected Ebola illness	26O17E	2			
26	Sick Person (Specific Diagnosis)	Itching	Suspected Ebola illness	26O18E	2			
26	Sick Person (Specific Diagnosis)	Nervous	Suspected Ebola illness	26O19E	2			
26	Sick Person (Specific Diagnosis)	Object stuck (nose, ear, vagina, rectum, penis)	Suspected Ebola illness	26O20E	2			
26	Sick Person (Specific Diagnosis)	Object swallowed (not button battery, without choking or difficulty breathing, can talk/cry)	Suspected Ebola illness	26O21E	2			
26	Sick Person (Specific Diagnosis)	Painful urination	Suspected Ebola illness	26O22E	2			
26	Sick Person (Specific Diagnosis)	Penis problems/pain	Suspected Ebola illness	26O23E	2			
26	Sick Person (Specific Diagnosis)	Rash/Skin disorder (without difficulty breathing or swallowing)	Suspected Ebola illness	26O24E	2			
26	Sick Person (Specific Diagnosis)	Sexually transmitted disease (STD)	Suspected Ebola illness	26O25E	2			
26	Sick Person (Specific Diagnosis)	Sore throat (without difficulty breathing or swallowing)	Suspected Ebola illness	26O26E	2			
26	Sick Person (Specific Diagnosis)	Toothache (without jaw pain)	Suspected Ebola illness	26O27E	2			
26	Sick Person (Specific Diagnosis)	Wound infected (focal or surface)	Suspected Ebola illness	26O28E	2			
26	Sick Person (Specific Diagnosis)	Override	Suspected Ebola illness	26A00E	2			

Combined March and June ProQa Update - 2026

26	Sick Person (Specific Diagnosis)	No priority symptoms – 3rd party (complaint conditions 2–12 not identified)	Suspected Ebola illness	26A01E	2			
26	Sick Person (Specific Diagnosis)	Blood pressure abnormality (asymptomatic)	Suspected Ebola illness	26A02E	2			
26	Sick Person (Specific Diagnosis)	Dizziness/Vertigo	Suspected Ebola illness	26A03E	2			
26	Sick Person (Specific Diagnosis)	Fever/Chills	Suspected Ebola illness	26A04E	2			
26	Sick Person (Specific Diagnosis)	General weakness	Suspected Ebola illness	26A05E	2			
26	Sick Person (Specific Diagnosis)	Nausea	Suspected Ebola illness	26A06E	2			
26	Sick Person (Specific Diagnosis)	New (not sudden) onset of immobility	Suspected Ebola illness	26A07E	2			
26	Sick Person (Specific Diagnosis)	Other pain (non-OMEGA-level)	Suspected Ebola illness	26A08E	2			
26	Sick Person (Specific Diagnosis)	Transportation only	Suspected Ebola illness	26A09E	2			
26	Sick Person (Specific Diagnosis)	Unwell/Ill	Suspected Ebola illness	26A10E	2			
26	Sick Person (Specific Diagnosis)	Vomiting	Suspected Ebola illness	26A11E	2			
26	Sick Person (Specific Diagnosis)	Possible meningitis	Suspected Ebola illness	26A12E	2			
26	Sick Person (Specific Diagnosis)	Override	Suspected Ebola illness	26B00E	2			
26	Sick Person (Specific Diagnosis)	Unknown status/Other codes not applicable	Suspected Ebola illness	26B01E	2			
26	Sick Person (Specific Diagnosis)	Override	Suspected Ebola illness	26C00E	2			
26	Sick Person (Specific Diagnosis)	ALTERED LEVEL OF CONSCIOUSNESS	Suspected Ebola illness	26C01E	2			

Combined March and June ProQa Update - 2026

26	Sick Person (Specific Diagnosis)	Abnormal breathing	Suspected Ebola illness	26C02E	2			
26	Sick Person (Specific Diagnosis)	Sickle cell crisis/Thalassemia	Suspected Ebola illness	26C03E	2			
26	Sick Person (Specific Diagnosis)	Autonomic dysreflexia/hyperreflexia	Suspected Ebola illness	26C04E	2			
26	Sick Person (Specific Diagnosis)	Acute adrenal insufficiency/crisis or Addison's disease	Suspected Ebola illness	26C05E	2			
26	Sick Person (Specific Diagnosis)	Override	Suspected Ebola illness	26D00E	1		Y	
26	Sick Person (Specific Diagnosis)	Not alert	Suspected Ebola illness	26D01E	1		Y	
27	Stab / Gunshot / Penetrating Trauma	NON-RECENT (≥ 6hrs) PERIPHERAL wounds (without priority symptoms)	HIGH PRESSURE INJECTION	27A01H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Override	HIGH PRESSURE INJECTION	27B00H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	NON-RECENT (≥ 6hrs) single CENTRAL wound	HIGH PRESSURE INJECTION	27B01H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Known single PERIPHERAL wound	HIGH PRESSURE INJECTION	27B02H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	SERIOUS hemorrhage	HIGH PRESSURE INJECTION	27B03H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Unknown status/Other codes not applicable	HIGH PRESSURE INJECTION	27B04H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	OBVIOUS DEATH unquestionable	HIGH PRESSURE INJECTION	27B05H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Override	HIGH PRESSURE INJECTION	27D00H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Arrest	HIGH PRESSURE INJECTION	27D01H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Unconscious	HIGH PRESSURE INJECTION	27D02H	1		Y	

Combined March and June ProQa Update - 2026

27	Stab / Gunshot / Penetrating Trauma	Not alert	HIGH PRESSURE INJECTION	27D03H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	CENTRAL wounds	HIGH PRESSURE INJECTION	27D04H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Multiple wounds	HIGH PRESSURE INJECTION	27D05H	1		Y	
27	Stab / Gunshot / Penetrating Trauma	Multiple victims	HIGH PRESSURE INJECTION	27D06H	1		Y	
29	Traffic Collision / Transportation Incident	Accelerator stuck & vehicle stopped now		29O02	2		Y	
29	Traffic Collision / Transportation Incident	Neurological symptoms mentioned (without priority symptoms)		29B06	2		Y	
29	Traffic Collision / Transportation Incident	Neurological symptoms mentioned (without priority symptoms)	Multiple patients	29B06V	2	Y	Y	
29	Traffic Collision / Transportation Incident	Neurological symptoms mentioned (without priority symptoms)	Unknown number of patients	29B06U	2		Y	
29	Traffic Collision / Transportation Incident	Neurological symptoms mentioned (without priority symptoms)	Multiple patients and Additional response required	29B06Y	2	Y	Y	
29	Traffic Collision / Transportation Incident	Neurological symptoms mentioned (without priority symptoms)	Unknown number of patients and Additional response required	29B06X	2	Y	Y	
30	Traumatic Injuries (Specific)	NOT DANGEROUS PROXIMAL body area or DISTAL body area with non-SERIOUS hemorrhage	Amputation	30A02A	2		Y	

Combined March and June ProQa Update - 2026

30	Traumatic Injuries (Specific)	Neurological symptoms mentioned (without priority symptoms)		30B04	2		Y	
32	Unknown Problem (Person Down)	Medical alarm/Medical condition with limited information		32B05	2			Known Fall/Diabetic
32	Unknown Problem (Person Down)	Medical alarm/Medical condition with limited information		32D02	1		Y	Known Higher Acuity, CVA/Chest Pain