




EMS System for Metropolitan Oklahoma City and Tulsa 2020 Medical Control Board Treatment Protocols



Approved 9/11/19, Effective 1/15/20, replaces all prior versions



| | |
|--|-----|
| EMR | EMT |
| <p>GENERAL SUPPORTIVE CARE OBTAIN VITAL SIGNS O2 VIA NC OR NRB, AS APPROPRIATE</p> <p>EXTERNAL GENITALIA EXAM ONLY IF ONGOING, ACTIVE BLEEDING WITH CONCERNS OF HEMODYNAMIC INSTABILITY</p> <p>PLACE ABD PAD/VAGINAL PAD AS NEEDED</p> <p>REPORT ANY CONCERNS/SUSPICIONS OF SEXUAL ASSAULT TO RECEIVING FACILITY PERSONNEL</p> | |

| | |
|---|------|
| EMT-I85 | AEMT |
| <p>IV ACCESS</p> <p>ADULT: IV NS TKO IF SYS BP \geq 100 mmHg WITHOUT HYPOTENSIVE SYMPTOMS</p> <p>ADULT: IV NS 250 mL BOLUS IF SYS BP $<$ 100 mmHg WITH HYPOTENSIVE SYMPTOMS IF NO SIGNS OF PULMONARY EDEMA,</p> <p>ADULT: REPEAT UP TO 2 LITERS NS IF SYS BP REMAINS $<$ 100 mmHg WITH HYPOTENSIVE SYMPTOMS & NO SIGNS OF PULMONARY EDEMA</p> <p>PEDIATRIC: IV NS TKO IF SYS BP \geq (70 + 2x age in years) mmHg</p> <p>PEDIATRIC: IV NS 20 mL/kg BOLUS IF SYS BP $<$ (70 + 2x age in years) mmHg IF NO SIGNS OF PULMONARY EDEMA</p> | |

| |
|--|
| PARAMEDIC |
| CONTINUOUS ASSESSMENT & TREATMENT PER APPLICABLE PROTOCOL(S) |