

## EMS System for Metropolitan Oklahoma City and Tulsa 2025 Medical Control Board Treatment Protocols




Approved 9/04/24, Effective 1/15/25, replaces all prior versions

# 2G - MEDICATION ASSISTED INTUBATION ADULT

TREATMENT PRIORITIES

1, Oxygenation/Ventilation support



### **PARAMEDIC**

 ${\tt MEDICATION\text{-}ASSISTED\ INTUBATION\ IF\ INDICATED}\\ {\tt FOLLOW\ PROTOCOL\ 2F-ORAL\ INTUBATION\ FOR\ TECHNIQUE\ \&\ CONFIRMATION\ OF\ INTUBATION\ }$ 

#### FOR FACILITATING ORAL INTUBATION:

ADULT: ETOMIDATE 0.3 mg/kg IVP/IOP SINGLE DOSE
OR
UNDITT: MIDATOLAM 0.1 mg/kg TO MAX OF 5 mg IVP/IO

ADULT: MIDAZOLAM 0.1 mg/kg TO MAX OF 5 mg IVP/IOP MAY REPEAT ONCE IF ADULT SYS BP ≥ 100 mmHg

### FOR POST-ORAL INTUBATION SEDATION TO PREVENT EXTUBATION (IF INDICATED):

ADULT: MIDAZOLAM 0.1 mg/kg TO MAX OF 5 mg IVP/IOP MAY REPEAT ONCE IF ADULT SYS BP ≥ 100 mmHg OR

ADULT: DIAZEPAM 0.1 mg/kg TO MAX OF 5 mg IVP/IOP MAY REPEAT ONCE IF ADULT SYS BP ≥ 100 mmHg OR

ADULT: LORAZEPAM 0.1 mg/kg TO MAX OF 2 mg IVP/IOP MAY REPEAT ONCE IF ADULT SYS BP ≥ 100 mmHg

CONTINUOUS ASSESSMENT & TREATMENT PER APPLICABLE PROTOCOL(S)